



PRODUCT CATALOGUE

2T Oil

Recommended for all 2 Stroke engines in all makes and models of two wheelers

AVAILABLE SIZES	40 ML, 500 ML
BENEFITS	Storme Motolite 2T reduces exhaust port blockage, emits low smoke and facilitates easy start. It provides piston scuffing protection and reduces smoke



4T Oil 20W40

Recommended for all types of motor cycles having 4 Stroke petrol engine

AVAILABLE SIZES	500 ML, 900 ML, 1L
BENEFITS	Storme Moto+ 4T Oil 20W40 has high detergent and dispersant properties that keep the engine, hear and wet clutch clean. It has reinforced anti-wear ability that extends engine life and facilitates faster pick-up

4T Oil 10W30

Recommended for all new generation gearless scooters and modern 4 Stroke two wheelers

AVAILABLE SIZES	800 ML
BENEFITS	Storme Moto+ 4T Activa 10W30 provides excellent protection to engine, clutch and gear systems and increases fuel efficiency and pick-up. It gives shear stability



Front Fork Oil/Shocker Oil

Recommended for use in front forks of motor cycles and other shock absorbing and dampening mechanisms

AVAILABLE SIZES

160ML, 175 ML

BENEFITS

Storme Shocker Plus Front Fork Oil has excellent viscosity temperature, oxidation stability for longer oil life & antifoam properties. It has also very good seal compatibility.



5W30

Recommended for all 4 Stroke scooter engines. Not suitable for passenger cars

AVAILABLE SIZES

600 ML

BENEFITS

Storme Moto+ 4T Activa 10W30 provides excellent protection to engine, clutch and gear systems and increases fuel efficiency and pick-up. It gives shear stability



4T 15W50

Recommended for advanced 4-stroke gasoline engines of high-performance motorcycles (above 150 cc engine capacity)

AVAILABLE SIZES

2.5L

BENEFITS

Storme Moto+ 4T 15W50 provides thermo-oxidative stability that minimizes deposits and sludge build-up and reduces oil thickening, Excellent shear stability maintains viscosity under high temperature-high shear environment and provides improved wear protection



EP140

Recommended for Drive Axles, Differentials, Constant Mesh Gear Boxes and Auxiliary Gear Boxes of Automotive requiring an extreme pressure oil

AVAILABLE SIZES	500 ML, 1L, 5L
BENEFITS	Storme Gear Safe EP-140 is a good quality Axle and Differential Oil containing extreme pressure additives. It provides superior protection to gears under heavy loads, good thermal stability and seal compatibility along with protection against rust and corrosion



EP90

Recommended for passenger cars, heavy and light commercial vehicles, tractors and agriculture gear boxes and also used in manual transmission where an extreme pressure gear lubricant is required



AVAILABLE SIZES	200 ML, 400 ML, 500 ML, 1L, 5L, 10L 20L
BENEFITS	Storme Gear Safe EP-90 is a multi-purpose extreme pressure lubricant that meets the lubrication requirement of a wide variety of gears. It provides protection against wear, has good EP characteristics and provides long service life under higher temperatures



80W90 GL-4

Recommended for use in commercial vehicles for shift, auxiliary and differential transmissions without limited slip differentials

AVAILABLE SIZES	1L, 5L
------------------------	--------

BENEFITS

Storme Gear Safe 80W90 API:GL4 ensures flawless aggregate functioning, minimizes wear and ensures outstanding viscosity temperature behaviour even under the most difficult conditions



85W140 GL-5

Recommended for the new generation of vehicles for heavy duty service in their differentials, rear axles and front axles

AVAILABLE SIZES	1L, 5L
------------------------	--------

BENEFITS

Storme Gear Safe 85W140 API:GL5 provided outstanding thermal and oxidation stability, allows high temperature operation with long lubricant life. Extreme pressure properties protect gears from scuffing and wear

MULTIGRADE ENGINE OIL

Power 20W40

Recommended for use in heavy duty commercial vehicles, light commercial vehicles, multiutility vehicles, tractors, 3 wheelers, gensets etc. fitted with high speed naturally aspirated or turbo charged diesel engines

AVAILABLE SIZES	500 ML, 1L
------------------------	------------

BENEFITS

Storme Power 20W40 contains cleaning agents which help to displace particles that may otherwise build up on your engine surfaces reducing deposits. It helps provide protection across multiple applications to encourage long and healthy engine life



MULTIGRADE ENGINE OIL



15W40

Recommended for all kinds of diesel engines mainly used in passenger vehicles, HCVs, earth moving & construction equipment, LCVs, etc.

AVAILABLE SIZES

500 ML, 1L, 3L, 5L, 6L, 7.5L, 10L, 15L, 20L

BENEFITS

Storme 15W40 provides excellent soot control for protection against oil thickening and resists viscosity and thermal breakdown at high temperatures. It provides good resistance against foaming and aeration



20W50

Recommended for use in large or small petrol engines, diesel engines, motorcycles as well as large load-bearing, high stress vehicles. Suitable for use in warm climates

AVAILABLE SIZES

500 ML, 1L, 3L

BENEFITS

Storme 20W50 delivers outstanding performance during the maximum oil change interval recommended in a vehicle's owner's manual and provides better control of emissions.. It helps prevent deposits and sludge buildup to enable long engine life



20W40

Recommended for use in heavy duty commercial vehicles, light commercial vehicles, multiutility vehicles, tractors, 3 wheelers, gensets etc. fitted with high speed naturally aspirated or turbo charged diesel engines

AVAILABLE SIZES

500 ML, 1L, 3L, 5L, 10L, 20L

BENEFITS

Storme 20W40 contains cleaning agents which help to displace particles that may otherwise build up on your engine surfaces reducing deposits. It helps provide protection across multiple applications to encourage long and healthy engine life



5W30

Recommended for light-duty use in passenger cars and light trucks having either petrol or diesel engines

AVAILABLE SIZES

1L, 3L, 3.5L

BENEFITS

Storme 5W30 is perfectly suitable for use in fluctuating temperatures as it is less vulnerable to thermal breakdown. Excellent adaptability to winter conditions since it provides engine protection and helps with deposits at colder temperatures



Pumpset Oil 20W40

Recommended for use in all types of agricultural and farm equipment like Pump Sets, Power Tiller, Harrowers & DG Sets requiring good quality diesel engine oils

AVAILABLE SIZES	3.5 L
BENEFITS	Storme Power Kisaan Pumpset Oil 20W40 CF/SF ensures greater protection of the engine against wear and rust, its balanced detergency helps to keep the engine clean and trouble free for longer service intervals



ATF DEXRON III Power Steering Oil

Recommended for use in automatic transmissions where the manufacturer prescribes Dexron III



AVAILABLE SIZES	500 ML, 1L, 5L
BENEFITS	Storme ATF Dexron III Power Steering Oil fights the three main causes of transmission failure - heat, deposits and wear. It delivers improved performance, durability, and increases transmission life along with shift consistency.

Hydraulic Oil AW-68

Recommended for use in all hydraulic systems, enclosed chain drives, compressors, vacuum pumps, etc.

AVAILABLE SIZES	1L, 5L, 10L, 20L
BENEFITS	Storme Hydrosmart Hydraulic Oil provides excellent hydrolytic stability and seal compatibility. It provides great protection against corrosion and has good demulsifying properties. It also provides oxidation and thermal stability.





Radiator Coolant - Green

Recommended for use in cooling system of all types of HCVs, LCVs, passenger cars

AVAILABLE SIZES

500 ML, 1L, 5L

BENEFITS

Storme Radiator Coolant results in effective cooling and has good chemical stability providing high boiling point and low freezing point. It protects the radiator against rust and corrosion

Radiator Coolant - Red

Recommended for use in cooling system of all types of HCVs, LCVs, passenger cars with greater lasting requirement

AVAILABLE SIZES

500 ML, 1L

BENEFITS

Storme Radiator Red Coolant coolant has anti-rust and anti-corrosive properties. It is ideal for all weather condition as it keeps engine cool in extreme heat and retains liquid form even in extreme cold. It lubricates the water pump and protects the engine from corrosive effects of water



Strome AP-3 Grease



Recommended for lubrication of wheel bearings, chassis components of automotive vehicles, ball joints, couplings, linkages, axles, universal joints, bushings, etc. and all other mechanical parts used in automotive, industrial and other services.

AVAILABLE SIZES

200 GM, 500 GM, 1 KG, 2 KG, 3 KG, 5 KG, 10 KG, 18 KG, 170 KG, 180 KG

BENEFITS

1. Excellent retention properties under extended working condition leading to increased equipments/bearing life.
2. Excellent shear stability i.e. resistance to hardening or thinning during use.
3. Additive ensures greater protection against heavy & shock loads.



Gripsol AP-3 Grease



STORMETM

CONTACT US

Address:

G.S. LUBES

101, Mangalram Tower

A.T. Road, Opp. Police Reserve

Guwahati - 781001

Assam, India

Mail:

helpdesk.gslubes@gmail.com

